

# SONANCE

## INVISIBLE SERIES ACCESSORIES

### SONANCE DISC SYSTEM DEPTH GAUGE

Sonance Invisible Series installation finishing tool measures the surface finish over the Sonance Invisible Series speaker or subwoofer. The Sonance DISC System includes a series of 4 steel discs embedded in the speaker or subwoofer where the DISC Gauge can take a reading after finishing compound has been applied to the speaker surface. This precision tool will help the installer maintain a consistent and optimal thickness across each speaker in every project.



**DG-1**

SKU 93491

### SONANCE DISC SYSTEM DEPTH GAUGE

- Compatible with all new Sonance Invisible Series Models
- UOM Each

### SPACE SAVERS

Flat-packed, lightweight units designed to be installed into new construction to reserve locations for Sonance Invisible Series speakers and subwoofers during the early stages of construction. Sonance Invisible Series Space Savers are easy to transport and are reusable and recyclable. At the appropriate time, the speaker installer removes the Space Saver and replaces it with the Invisible Series speaker or subwoofer.

#### SMALL SPACE SAVER

- Compatible with IS6
- Dimensions (WxHxD): 16.10" x 16.10" x 2.67" (409mm x 409mm x 68mm)
- UOM Each



**Small Space Saver**

SKU 93492

#### MEDIUM SPACE SAVER

- Compatible with IS8, IS8T, IS10W
- Dimensions (WxHxD): 16.10" x 24.13" x 2.67" (409mm x 613mm x 68mm)
- Shipping Weight: 8 lbs (3.6kg)
- Net Weight: 5 lbs (2.3kg)
- UOM Each



**Medium Space Saver**

SKU 93493

#### LARGE SPACE SAVER

- Compatible with IS10
- Dimensions (WxHxD): 16.10" x 28.66" x 2.67" (409mm x 728mm x 68mm)
- UOM Each



**Large Space Saver**

SKU 93494

#### XXLARGE SPACE SAVER

- Compatible with IS15W
- Dimensions (WxHxD): 32.20" x 32.20" x 3.39" (818mm x 818mm x 86mm)
- UOM Each



**XXL Space Saver**

SKU 93495

## STANDARD SOUND ISOLATING ENCLOSURES

Back box enclosures designed to reduce sound transference. Not available for IS8T or IS15W as these models have a standard enclosure built in and therefore do not require an external enclosure.

### SMALL ENCLOSURE

- Compatible with IS6
- Dimensions (WxHxD): 14.13" x 14.13" x 3.39" (359mm x 359mm x 86mm)
- Shipping Weight: 6 lbs (2.7kg)
- UOM Each



**Small Enclosure**  
IS-ENCL-S 93488

### MEDIUM ENCLOSURE

- Compatible with IS8 and IS10W
- Dimensions (WxHxD): 14.13" x 22.17" x 3.39" (359mm x 563mm x 86mm)
- Shipping Weight: 12 lbs (5.4kg)
- UOM Each



**Medium Enclosure**  
IS-ENCL-M 93489

### LARGE ENCLOSURE

- Compatible with IS10
- Dimensions (WxHxD): 14.13" x 26.69" x 3.39" (359mm x 678mm x 86mm)
- Shipping Weight: 12 lbs (5.4kg)
- UOM Each



**Large Enclosure**  
IS-ENCL-L 93490

## IS PRECONSTRUCTION BRACKETS FOR STANDARD ENCLOSURES

Invisible Series Preconstruction Brackets (IS-PB) are intended to be used with IS Enclosures to help preserve speaker location during the rough in stage of construction. Once the project is ready for speaker installation, the IS-PB can be removed from the IS Enclosure to allow for the IS speaker to be installed.

### SMALL IS-PB

- For IS6 S Enclosure into 0.5" wallboard
- For IS6 S Enclosure into 0.625" wallboard
- UOM Each



**Small Preconstruction Bracket**  
IS-S-PB.500 93618  
IS-S-PB.625 93619

### MEDIUM IS-PB


- For IS8-IS10W M Enclosure into 0.5" wallboard
- For IS8-IS10W M Enclosure into 0.625" wallboard
- UOM Each



**Medium Preconstruction Bracket**  
IS-M-PB.500 93622  
IS-M-PB.625 93623

### LARGE IS-PB

- For IS10 L Enclosure into 0.5" wallboard
- For IS10 L Enclosure into 0.625" wallboard
- UOM Each



**Large Preconstruction Bracket**  
IS-L-PB.500 93626  
IS-L-PB.625 93627

## NARROW SOUND ISOLATING ENCLOSURES

Back box enclosures designed to reduce sound transference in narrow TJI joist construction. Not available for IS8T or IS15W as these models have a standard enclosure built in and therefore do not require an external enclosure.

### SMALL ENCLOSURE

- Compatible with IS6
- Dimensions (WxHxD): 10.43" x 13.9" x 7.78" (265mm x 353mm x 197.5mm)
- Shipping Weight: 10.6 lbs (4.81kg)
- UOM Each



**Small Enclosure**  
IS-ENCL-S-NARROW 93533

### MEDIUM ENCLOSURE

- Compatible with IS8 and IS10W
- Dimensions (WxHxD): 10.43" x 21.93" x 7.78" (265mm x 557mm x 197.5mm)
- Shipping Weight: 14.22 lbs (6.45kg)
- UOM Each



**Medium Enclosure**  
IS-ENCL-M-NARROW 93534

### LARGE ENCLOSURE

- Compatible with IS10
- Dimensions (WxHxD): 10.43" x 26.46" x 7.78" (265mm x 672mm x 197.5mm)
- Shipping Weight: 16.98 lbs (7.7kg)
- UOM Each



**Large Enclosure**  
IS-ENCL-L-NARROW 93535

## IS PRECONSTRUCTION BRACKETS FOR NARROW ENCLOSURES

Invisible Series Preconstruction Brackets (IS-PB) are intended to be used with IS Enclosures to help preserve speaker location during the rough in stage of construction. Once the project is ready for speaker installation, the IS-PB can be removed from the IS Enclosure to allow for the IS speaker to be installed.

### SMALL IS-NARROW-PB


- For IS6 S Narrow Enclosure into 0.5" wallboard
- For IS6 S Narrow Enclosure into 0.625" wallboard
- UOM Each



**Small Preconstruction Bracket**  
IS-S-NARROW-PB.500 93620  
IS-S-NARROW-PB.625 93621

### MEDIUM IS-NARROW-PB


- For IS8-IS10W M Narrow Enclosure into 0.5" wallboard
- For IS8-IS10W M Narrow Enclosure into 0.625" wallboard
- UOM Each



**Medium Preconstruction Bracket**  
IS-M-NARROW-PB.500 93624  
IS-M-NARROW-PB.625 93625

### LARGE IS-NARROW-PB

- For IS10 L Narrow Enclosure into 0.5" wallboard
- For IS10 L Narrow Enclosure into 0.625" wallboard
- UOM Each



**Large Preconstruction Bracket**  
IS-L-NARROW-PB.500 93628  
IS-L-NARROW-PB.625 93629