

## Sonance Invisible Series SA1.5, SA3 & SAW Installations

### Using Shims as Spacers to Offset Mount the Speakers into the Room

The SA1.5, SA3 and SAW are designed for standard U.S. ½ in. (13mm) or 5/8 in. (16mm) drywall with only paint, texture or wallpaper as a surface finish. If the surface finish is to be thicker, such as Venetian Plaster, you will need to 'shim' the speaker into the room to compensate.

PHOENIXBOARD Builders Shim Stock is recommended as offset spacers. The product is specified as 1 ½" (38mm) x 36" Shims. If the shims supplied with the Invisible Speakers get misplaced, PHOENIXBOARD Shims are available on-line or from most building supply stores. Sonance does not stock shims as re-orderable items.

#### PHOENIXBOARD

**Product Description:** Phoenixboard Builders Shim Stock is manufactured from a laminated, heavy duty recycled cylinder board.

**Product Features:**

- Use to fur out rough framing that is bowed or out-of-plumb.
- Use to shim around window and door jambs for ease of installation.
- Ideal for use behind baseboard.
- Useful in many other vertical applications.
- Creates true, level plane for hanging kitchen cabinets.
- Cuts easily with a utility knife.

**Size & Packaging:** Phoenixboard Builders Shim Stock is manufactured to a consistent thickness, in 1 ½" width by 36" length (.080" thick), and 1 ¾" and 2 ¾" widths by 45" length (.070" thick). 36" shims are packaged in 50 piece bundles in 5 bundle cartons. 45" shims are packaged in 50 (2 ¾") and 100 (1 ¾") piece bundles and bulk pallets.

